

Parse의 Human Becoming 연구방법론을 적용한 국내·외 연구동향분석

이 상 윤* · 이 경 희**

I. 서 론

1. 연구의 필요성

선행논문의 연구동향을 분석하는 것은 앞으로의 연구 방향을 설정하는 안내자료를 마련하고, 보다 나은 연구 방법을 구상하며, 간호과학의 발전과 학문으로서 체계를 정립하는 방법이기때 매우 중요하고 의미 있는 일이라고 할 수 있다.

우리 나라 간호연구분석은 1970년대부터 시작하였고, 초기에 간호연구 논문의 분석은 특정기간의 연구논문 전체를 분석하는 것이었다. 그러나 1990년대 들어와서는 Gu와 Lee(1990)의 건강신념모델과 만성질환자의 역할 행위를 다룬 논문분석 이후로 특정개념을 분석하는 연구가 주종을 이루었다(Kang 등 1998). 특정개념을 다룬 논문은 Lee(1992)의 불안 및 스트레스 개념분석, Park (1995)의 통증에 관한 논문분석, So 등(1996)의 대처에 관한 분석 등이 있다. 그런데 특정기간과 특정개념들을 분석하는 연구도 중요하지만 특정이론가의 이론을 검증한 논문의 동향과 그 이론가가 주장한 개념을 분석하는 일도 간호학적 지식을 탐구하기 위한 기초작업으로서 또한 간호를 과학으로 설명할 수 있는 면으로 본다면 참으로 중요한 일이라고 할 수 있다. 그러나 특정이론가의

간호이론을 검증한 논문분석은 Kang 등(1998)에 의한 Orem의 자가간호에 대한 간호연구동향이라는 논문분석이 있을 뿐이다. 그리하여 본 연구에서는 간호학적 지식을 탐구하는 한 방법으로 간호를 제공하는데 있어서 실존적-현상학적 사고로 개인의 독특한 삶을 중요시하는 Parse의 이론을 적용한 논문을 분석하고자 한다. 인간이 경험하는 여러 가지 현상을 복합적이고 총체적인 시각으로 탐색하는 Parse의 연구방법은 대화적인 관계를 통해서 연구의 현상을 드러내고 참여자와 연구자가 진정으로 함께 하는(true presence) 것을 가능케 하며, 개방적이고 애정 어린 마음으로 주의를 기울여 목적 중심적인 대화를 이끌어냄으로써 참여자로부터 체험의 정수를 뽑아내는 방법이다(Parse, 1997). 이런 맥락에서 Parse의 이론은 건강과 관련된 체험에 있음으로 간호상황에서 기본이라고 할 수 있는 대상자의 이해나 인간관계 형성에 가장 적합한 이론이라고 여겨진다(Koh 등 1998). 그리하여 Parse의 인간 되어감의 이론을 적용한 논문을 살펴보고 분석하여 인간과학에 바탕을 둔 간호학의 연구방법이 어느 방향으로 나아가야 할 것인지 모색하는 것도 중요하고 의미 있는 일이라고 생각된다. 그래서 본 연구에서는 인간과학에 근거를 둔 간호 패러다임으로부터 발달되고 또한 실존적 현상학의 영향을 받은 Parse의 인간 되어감의 이론을 적용한 국내·외 논문들을 분석하는

* 계명대학교 간호대학 박사수료

** 계명대학교 간호대학 교수

것은 인간 되어감 이론을 검증하고 확대하는데 필요하다고 보며 분석결과는 차후 인간 되어감 이론의 연구방향 및 개념설정, 이론의 검증 등 다양한 안내자료로 활용될 수 있다고 생각된다. 또한 Parse의 연구방법론에 따른 이론적 구조와 개념들을 살펴봄으로써 인간이 체험하는 현상을 보다 구체적이고 생생하게 이해하는데 필요한 자료로 사용하고자 한다.

2. 연구의 목적

본 연구의 구체적 목적은 다음과 같다.

- 1) Parse의 인간 되어감 연구방법론을 적용한 연구동향을 분석한다.
- 2) Parse의 인간 되어감 연구방법을 적용한 연구결과로부터 Parse 인간 되어감 이론의 개념과 구조를 확인한다.

II. 문헌 고찰

간호학문에는 두 가지 상반되는 패러다임이 있는데 하나는 인간을 생물학적, 심리적, 사회적, 영적 특성들이 결합된 부분들의 합으로 이루어진 기계론적 유기체로 보는 전체성 패러다임과 다른 하나는 인간과학에 근거를 둔 것으로 독특한 인간과 그들이 우주와 함께 참여하는 경험의 질에 관심을 두는 동시성 패러다임이다(Parse, Coyne & Smith, 1985). 인간과학에 근거를 둔 동시성 패러다임의 본질은 인간은 부분들의 합과는 다르며 합 이상의 것이라는 관점이다. 그러므로 인간이 우주와의 경험에 참여하는데 초점을 두고 한 개인이 살고있는 그대로의 삶을 이해하며, 인간다운 살아있는 경험, 의미, 가치가 밀착되어 있는 삶과의 상호관계를 이해하는데 관심을 둔다. 이와 같은 동시성 패러다임은 Rogers (1970)에 의해 새로운 관점으로 나타났으며, Parse (1981)에 의해 더욱 발전되었다. 인간과학과 동시성 패러다임에 근거를 둔 Parse는 인간과학 전통의 존재론과 인식론이 일치하는 인간 되어감 이론을 개발하였다. Parse의 인간 되어감의 이론은 Parse(1981)의 Man-Living-Health이론에서 보완된 이론으로서 인간은 환경과 울동적으로 상호교환을 하면서 선택할 수 있는 자유를 가진 개방적인 존재이며, 주어진 상황에서 의미를 부여하고, 그 상황에서 선택한 결과가 무엇이든 그 선택에 대해 책임을 지는 존재이다. 인간은 환경과 고유한 자기

만의 패턴을 형성하면서 자신을 드러내고, 과거, 현재, 미래를 모두 동시에 함께 경험하면서 현재를 살고 있다. 건강은 되어감의 과정이며 가치 우선 순위에 따라 결정된다. 동시성 패러다임에서는 최적의 건강이란 없으며 건강은 단순히 인간이 자신의 삶을 어떻게 경험하는가에 있다(Lee 등, 2000). Parse는 자신의 이론에서 인간에 대한 4가지 가정과 되어감에 대한 5가지 가정을 제시하였는데(Parse, 1982; 1992), 인간에 관한 가정들은 인간-우주과정에 대한 가치, 신념과 관련이 있다. 또한 인간의 가능성이란 인간이 삶에서 형성해 가는 소중한 희망이며 꿈이다. 그래서 인간은 자신의 가치와 신념에 따라 우주와 상호작용 하면서 가능성을 향해 나아가는 존재라고 하였다. 나아감은 건강을 향해 간다는 것이고 간호는 변화하는 건강과정에서 새로운 가능성을 선택하도록 이끌어주는 것이며, 간호의 목표는 간호사와 대상자가 건강과정에 함께 참여함으로써 가족과 개인의 삶의 질을 높이는데 있다고 하였다.

Parse는 자신의 인간 되어감 이론의 가정과 원리를 이용하여 연구방법론을 개발하였는데 연구방법론은 앞서 설명한 인간-우주-건강의 상호관계에서 보편적으로 존재하는 체험의 구조를 밝히는데 있다. 연구방법론의 구조의 원리는 연구전통에 대한 존재론적인 신념과 조화를 이루면서 전개되었고 과학적 원칙을 고수하는 정확한 과정을 제시하는 포괄적인 디자인이며, 연구 전통 내에서 연구를 위한 적합한 과정을 차례대로 구체화하고, 형태면에서도 균형 있게 미학적으로 구성되어있다(Parse, 1987). 이러한 연구방법론에 기초하여 실무방법론을 개발하여 실무적용에도 가능하게 하였다. Parse의 연구방법은 국외 논문의 경우 희망(Parse, 1990), 매일의 삶을 받아들이는 것(Mitchell, 1990), 기쁨과 슬픔(Parse, 1991), 신념을 상실했을 때의 고통(Kelly, 1991), 노인의 의미(Jonas, 1991; Mitchell, 1993; 1994), 제한된 자유(Mitchell, 1992), 중요한 사람을 잃어버린 슬픔(Pilkington, 1993), 웃음과 건강(Parse, 1994), 다른 사람들을 도우려는 희망(Mitchell, 1994), 가족의 슬픔(Cody, 1995), 고통(Daly, 1995), 음악을 통한 함께 함(Parse, Jonas, 1995), 평정함(Kruse, 1999), 내일을 염두에 두는 것(Bunker, 2000), 만족감(Parse, 2001), 이해감의 느낌(Jonas, 2001)에 대해 연구를 했으며, 이외에도 인간체험의 이해에 바탕을 둔 인간 되어감의 이론은 사례연구를 통하여 개인이나 집단 뿐 만 아니라 노인, 성인, 아동(Parse, Cody, Brinkman,

1995)에 적용시켰으며 또한 급: 만성 대상자, 성인, 가족들을 돌보는 간호조직체계(Parse, Cody, Santopinto, Smith, Jonas, Mitchell, 1995)에도 적용하여 대상자, 가족 및 간호사들의 만족감을 향상시켰으며 그들의 건강경험, 태도, 가치관과 신념 등에도 긍정적으로 영향을 미쳤음을 밝혀내고 있다. 또한 실무적용에 있어서 개인면담이나 관찰뿐만 아니라 사진이나 일기, 시, 그림, 음악(Jonas, 1995)과 같은 것을 통해서도 검증을 하고 있다. 또한 국내의 연구동향은 노춘희(1992)의 분리경험, 한영란 등(1993)의 구타당한 주부의 경험, 자녀를 상실한 어머니의 고통체험(김수지 등 1994), 유산으로 인한 기혼여성의 상실경험(고명숙, 1995), 말기암 환자의 체험에 관한 현상학적 연구(이옥자, 1995), 알코올 중독자의 회복체험(이정숙, 1995), 사춘기지체여아의 초경에 대한 어머니의 경험연구(이명숙, 1999), 윤정아(2000)의 집 없는 여성의 체험, 강성례 외(2001)의 만성신부전 환자의 체험 등이 있었으나 인간 되어감의 이론을 적용한 논문을 분석한 연구는 한편도 없었다.

Ⅲ. 연구대상 및 방법

1. 연구대상논문

본 연구에서 사용한 논문들은 1990년에서 2001년까지 Parse의 인간 되어감 이론을 적용한 논문 중 간행되거나 미 간행된 간호연구들이다. 인터넷에서 키워드로 파시의 인간 되어감 이론이라는 제한을 두고 문헌을 고찰하였다. 국내학술지와 CINAHL에서 문헌 검색을 하였으며 국내 논문 중 학위논문은 대학도서관을 통하여 수집하였고, 학술지 논문은 문헌검색을 통하여 원문을 제공받아서 최근까지 출판된 전량을 구할 수 있었으나, 외국 논문의 경우 학위논문은 검색 시 원문 게재자가 정확하게 표기되어 있지 않아서 자료수집이 어려웠고, 분석에 사용된 학위논문은 직접저자에게 신청을 하여 1편을 수집하였으며 나머지는 학술지 중심으로 검색을 하여 문헌신청을 하여 자료를 수집하였다. 학위논문이 학술지에 게재된 경우는 학술지에 게재된 것으로 대체하였다. 그래서 본 연구 분석에 대상으로 한 논문은 국내논문 13편과 국외논문 27편 총 40편을 분석 대상으로 하였다.

2. 연구방법 및 자료분석방법

자료의 분석은 일반적 특성과 연구영역에 따른 분석기준에 의해 수집된 자료의 실수와 백분율로 처리하여 살펴보았다.

분석항목은 다음과 같다.

- 1) 연구 발표 연도 : 1년 단위로 구분하여 발표지에 따라 구분하였다.
- 2) 연구설계 : Parse의 연구설계를 Research Method(연구방법론)과 Descriptive-Exploratory Study(서술적 탐색연구방법론), Descriptive Evaluation Research Method(서술적 평가연구방법)으로 분류했다(Parse, 1995; 1996).
- 3) 연구주제 : 연구주제는 Parse의 9개념에 따라 다양한 주제로 나왔기에 그대로 표기하였다.
- 4) 연구대상자의 유형별 특성 : 연구대상자의 성별구분과 발달시기별 구분, 환자군 대 정상군별로 구분을 하였다.
- 5) 연구대상자의 수 : 2명단위로 구분하였다. Parse(1990)가 2-10명까지 연구대상자로 적절하다는 근거에 따른 것이다.
- 6) 연구기간 : 3개월 단위로 구분하였다.
- 7) 연구결과에 따른 서술: 연구결과가 Parse의 9개의 개념과 3원리에 어떻게 연결되었는지, 어떤 원리가 검증이 되었는지에 대해 구체적으로 서술하였다.

Ⅳ. 연구 결과 및 논의

1. 연구유형 별 논문분석

1) 발표 연도

Parse는 로저스의 이론과 실존적 현상학의 철학적인 신념에서 주요 개념들을 종합하여 연역적으로 Man-Living-Health(1981) 이론을 개발하였으며 이를 수정 보완하여 인간 되어감 이론(1992)을 개발하였다. 그 후 Parse는 이론의 검증을 위해 실무에 적용하여 연구를 수행하였으며 연구방법의 적용은 국외의 경우 Beauchamp(1990)의 에이즈 환자의 의사 결정되는 힘(Power)에 대한 박사논문이 시초였다. 국내의 연구도 노춘희(1992)의 정신병동에 입원한 청소년의 분리경험에 대한 박사논문이 Parse의 이론을 적용한 최초 논문 이었다. 그 이후 국내의 경우는 1992년부터 현재까지 총 6편(46.2%)이 박사학위 논문으로 간행이 되었고, 석사학위

논문 2편(15.4%), 학술지 논문의 경우는 국내는 5편(38.4%), 국외 논문은 박사논문2편(8%), 학술지 논문 25편(92%)으로 확인되었다.

〈Table 1〉 Number and type of Journal by year
N(%)

Type	Contents	Domestic(%)	Outside(%)
Source	master	2(15.4)	0
	doctoral	6(46.2)	2 (8)
	journal	5(38.4)	25(92)
Year	1990-1991		4(14.8)
	1992-1993	2(15.4)	5(18.5)
	1994-1995	6(46.2)	7(26.0)
	1996-1997	0	3(11.1)
	1998-1999	1(7.7)	4(14.8)
	2000-2001	4(30.7)	4(14.8)
Total		13(100)	27(100)

2) 연구설계유형

본 연구에서 살펴보면 연구방법론을 적용한 논문은 국

내 11편(85%), 국외 19편(70%)으로 나타났다. 이는 사례연구형식 국내 3편을 포함한 것이며 국외는 5편(18%)이 포함된 것이다. 서술적 평가연구방법론을 적용한 연구는 국내는 한편도 없었으며 국외는 4편(15%)으로 나타났다. 서술적 탐색연구방법론은 어떤 사건을 공유했던 한 집단의 생의 사건의 의미를 연구하는 방법인데 이 방법론을 사용한 논문은 국내 석사학위 논문 2편(15%)이 나왔고 국외는 4편(15%)으로 분석되었다.

2. 연구주제

연구주제에 대한 일반적인 분석으로 보면 Parse이론을 적용한 논문의 주제는 삶의 질에 대한 것은 국외 논문으로는 5편(18%)으로 제일 많이 연구되었으며, 질병 체험에 대한 연구는 국내 4편(30%), 국외 4편(14.8%)으로 지금까지 나온 연구개념 중 가장 많이 다루었던 주제들이다. 또한 국내 연구에 비해 국외의 연구 논문들은 슬픔, 제한된 자유, 다른 사람들을 도우려는 희망, 신념

〈Table 2〉 Type of research design
N(%)

Type	Domestic(%)	Outside(%)
research methodology apply	11(85)	19(70)
descriptive evaluation research methodology		4(15)
descriptive exploratory methodology	2(15)	4(15)
total	13(100)	27(100)

〈Table 3〉 Research Concept
N(%)

Concept	Domestic(%)	Outside(%)
Separation	1(7)	
Suffering	1(7)	3(11.1)
Loss	2(14)	1(3.7)
Recovery	1(7)	
Quality of life(Contentment)	1(7)	5(18.5)
life experience of Person(Disorder)	4(30)	4(14.8)
Restriction-Freedom		1(3.7)
Grieving		1(3.7)
Wanting to help another		1(3.7)
Laughing		2(7.4)
Feeling understood		1(3.7)
Struggling		1(3.7)
Limiting		1(3.7)
hope		1(3.7)
Serenity		1(3.7)
True presence		4(families 2)(14.8)
Homeless Women	1(7)	
Abuse	1(7)	
Mentally daughters having Menarche at Puberty	1(7)	
Batter	1(7)	
Total	13(100)	27(100)

을 상실했을 때의 고통, 친밀감, 변화를 기대하는 동안 살아있는 체험 등 다양한 주제를 갖고 인간의 경험에 대한 연구를 하고 있는 것으로 나타났다. 본 연구에서 나타난 연구주제는 <Table 3>과 같다.

3. 연구대상자의 유형별 특성

1) 연구대상자의 성별 유형

총 논문 중 여성이 연구대상자의 대다수를 차지한 것으로 나타났는데 국내 7편(53.8%)으로 대부분을 차지했으며, 국외의 경우는 10편(37%)으로 분석되었다. 또한 남·여가 같이 포함된 연구논문의 경우는 국내는 4편(30.8%)이고 국외는 16편(59.3%)으로 나타났으나 비율 상으로 본다면 여성의 비율이 더 많이 차지하였다(<Table 4>).

		N(%)
Sex	Domestic(%)	Outside(%)
female	7(53.8)	10(37.0)
male	2(15.4)	1(3.7)
female and male	4(30.8)	16(59.3)
Total	13(100)	27(100)

2) 연구대상자의 발달시기

대상자의 발달시기에 따른 결과를 보면 아동을 대상으로 한 연구는 국외 논문 1편이 있었으며 국내 논문으로는 정신병동에 입원한 청소년에 대한 연구가 1편이 있었다. 성인을 대상으로 한 연구에서는 국내 12편(92.3%)으로 분석 대상 논문 중 대부분을 차지했으며, 국외의 연구는 16편(59.3%)이었고, 연구대상이 노인인 논문은 국외 10편(37.0%)으로 나타났다. 또한 가족을 대상으로 한 연구도 국내 2편, 외국의 경우는 3편이 있었다. 이와 같은 결과로 보면 전체적으로 성인기가 대부분을 차지하고 그 다음이 노년기, 청소년과 아동 순이었다.(<Table 5>에 나와 있는 것과 마찬가지로 성인기 중에서

		N(%)
Developmental period	Domestic(%)	Outside(%)
child		1(3.7)
adolescent	1(7.7)	
adult	12(92.3)	16(59.3)
elder		10(37.0)
Total	13(100)	27(100)

도 노인을 포함한 성인 연구가 많이 나타나 결과적으로는 발달시기에 따른 분류는 노인의 비율이 높은 것으로 나타났다(<Table 5>).

3) 연구대상자의 환자군 대 정상군 비교

환자군 대 정상군의 비교를 살펴보면, 국내 논문은 정상인을 대상으로 한 논문은 6편(46.2%), 환자를 대상으로 한 경우는 7편(53.8%)으로 비교적 비슷한 비율로 연구가 되고 있으나, 국외의 경우는 환자군에 비해 정상인을 대상으로 한 연구가 18편(66.7%)으로 정상군을 대상으로 한 연구가 주종을 이루고 있다(<Table 6>).

<Table 6> Number of patient group and normal group

		N(%)
Type of subject	Domestic(%)	Outside(%)
normal	6(46.2)	18(66.7)
patient	7(53.8)	9(33.3)
Total	13(100)	27(100)

4. 연구 대상자수

Parse(1990)에 의하면 인간의 체험 의미를 다루는 경험연구로서 연구대상자수는 2-10명으로 충분하다고 하였다. 국내의 연구로서 1-2명을 대상자로 한 논문은 2편(15.4%)이고 국외의 경우는 4편(14.8%)이며, 9-10명을 연구대상자로 한 연구는 국내의 연구로는 5편(38.5%)이었으며 국외의 경우는 7편(25.9%)으로 나타났다. 또한 연구대상자가 11명 이상 국내 논문은 2편(15.4%)이고 국외 논문은 11편(40.7%)이었다. 국외의 논문 중 노인의 의미에 대한 연구로는 600명 이상의 노인을 대상으로 탐색적 연구를 시행한 논문도 1편이 있었다(<Table 7>).

<Table 7> Number of subject

		N(%)
Number	Domestic(%)	Outside(%)
1-2	2(15.4)	4(14.8)
3-4	1(7.7)	0(0)
5-6	1(7.7)	2(7.4)
7-8	2(15.4)	3(11.1)
9-10	5(38.5)	7(25.9)
above 11	2(15.4)	11(40.7)
Total	13(100)	27(100)

5. 연구기간

연구기간 분석에서는 1-3개월 사이에 자료수집을 한 연구논문은 국내 4편(30.8%), 국외 2편(7.4%)이고 4-6개월은 국내 3편(23.1%), 국외 9편(33.3%)이며, 10개월 이상 자료수집을 한 경우는 국내 4편(30.8%), 국외 11편(40.7%)이었다(Table 8).

〈Table 8〉 Analysis of research period

Research period	N(%)	
	Domestic(%)	Outside(%)
1-3month	4(30.8)	2(7.4)
4-6month	3(23.1)	9(33.3)
7-9month	1(7.7)	2(7.4)
above 10month	4(30.8)	11(40.7)
unreported	1(7.7)	3(11.1)
Total	13(100)	27(100)

6. 연구결과에 나타난 이론적 구조와 Parse의 이론과 연관성 분석

Parse의 인간 되어감의 과정의 주요개념은 첫째 의미에 있어서 상상화, 가치화, 언어화 둘째, 율동성의 개념으로 노출-은폐, 가능-제한, 연결-분리 셋째, 초월성으로 가능성, 독특성, 변형성이며 이론적 구조는 검증할 수 있도록 개념들을 서로 연결시키는 진술로 Parse의 이론적 구조는 3원리로 되어있다. 본 연구에서 분석된 자료에서는 9개의 개념과 3원리에 입각하여 연구논문들의 결과들이 검증되었는데 본 연구에서 자료 수집한 연구논문들을 살펴보면 다음과 같다(Table 9).

각 논문들마다 9개념이 모두 나온 논문은 국내논문 1편과 국외의 경우는 3편이 나왔고, 각 원리마다 3개의 개념이 포함되어 각 원리에 잘 통합되어 Parse 인간 되어감 이론은 검증되고 있다. 또한 9개념에서 변형된 개념을 도입하여 철학적 가정에 입각하여 이론의 원리를 검증한 연구는 자료수집 결과 6편으로 분석되었다.

〈Table 9〉 Theoretical principle by domestic & overseas research

Title of thesis	Outcome according to theoretical structure of Parse
The lived Experience of separation by adolescents admitted to a psychiatric ward (Noh Choon Hee, 1992)	Six structures of the separation as follows Parse's human becoming theory is stated: Separating becomes transforming through the languaging of connecting-separating toward powering with the revealing-concealing of valuing
Nurse abuse: The meaning of the lived experience (Hwang Eun Ah, 1993)	Parse's human becoming theory is stated: Transforming unfolds in the languaging of connecting-separating
The Experience of illness with Pneumoconiosis (Pyon In Ok, 1994)	The major components of the second sentence of Parse theoretical framework: Originating is a manifestation of enabling-limiting valuing essence, limitation, possibilities.
The lived suffering experiences of mothers who have lost a child (Kim Su Sie, Ida Martinson, Shin Kyung Rim, Yang Sook Ok, 1994)	Four of the structure were integrated conceptually as follows 1)The lived suffering experience is agony of longing for the lost 2)The lived suffering experience is a process of meeting-leaving in a paradoxical unity of connecting-separating. 3)The lived suffering experience is widening human relationships relating-avoiding in paradoxical unity of revealing-concealing 4)The lived suffering experience is moving energy that searches for the positive changes
Korean Womans's Experience of being Battered by their Husbands (Han Young Ran, 1995)	The lived experience of being a battered wife is transforming through the revealing-concealing of languaging toward powering through the valuing of connecting-separating
The loss and grief as the lived experience of married women (Koh Myeung Sook, 1995)	1)A structures of the loss and grief as the lived experience of married women due to Spontaneous abortion as specified with concepts of Parse's theory is: Powering through the revealing-concealing and connecting-separating of valuing. 2)A structures of the loss and grief as the lived experience of married women due to artificial abortion as specified with concepts of Parse's theory is: Powering transforming through the revealing-concealing and connecting-separating of valuing.

〈Table 9〉 Theoretical principle by domestic & overseas research(continued)

Title of thesis	Outcome according to theoretical structure of Parse
Lived experience of Patients with terminal cancer (Lee Ok Ja, 1995)	Structure: 1)Suffering through the reminiscence of experience 2)The appearance of complex emotions related to life and connectedness 3)The increasing importance of significant people and of the Absolute Being 4)The increasing realization of the importance of health and belief 5)Desire for a return to health and a peaceful life or for acceptance of dying and a comfortable death In the lived experience of patients with terminal cancer, the relationship of the five concepts of Parse's theory: Valuing, revealing-concealing, connecting-separating, transforming, and powering
The Alcoholics Lived experience of recovery: (Lee Chung Sook, 1995)	Conceptual interpretation: enabling-limiting, valuing, transforming powering, connecting-separating.
The lived experience of mothers mentally handicapped daughters having menarche at puberty (Lee Myung Sook, 1999)	Four of the Structural The conceptual integration which emerged was the lived experience of mothers is powering through the revealing-concealing and connecting-separating of valuing
Case Study on lived experience of person with Chronic mental disorder (Lee Chung Sook, 2000)	The hypothetical statement supports the second theoretical structure of Parse's human being theory which was used to guide this study, originating is a manifestation of enabling-limiting valuing
The Lived experience of Homeless Women (Yun chung A, 2000)	The core concept: Six The interpretation of the concepts of Parse's human becoming theory: 1)Powering of homeless women is a way of connecting-separating imaging 2)Originating is of homeless women manifestation of revealing-concealing valuing 3)Transforming of homeless women unfolds in the languaging of enabling-limiting
Quality of life for Persons living with Diabetes Mellitus: (Lee Byung Sook, Park Yung Sook, 2001)	The nurse journeys with the person in meanings, rhymical co-creations, and co-transcending patterns in a negentropic unfolding
Experience of Patience living with Chronic Renal Failure (Kang, Lee, 2001)	The three structures of the experience of patients with chronic renal failure, the findings of this study, could be explained by the three concepts of theory of Human becoming: the first structure could be explained with values the second with revealing-concealing, and the third with transforming
The lived experience Taking life Day-by Day in later life (Mitchell, 1990)	Core concept 1)Affirming self through interrelationships 2)Glimpsing a diminishing now amidst expanding possibles 3)The unburdened journeying of moving beyond The structural : Taking life day by-day is affirming self through interrelationships while glimpsing a diminishing now amidst expanding possibles in the unburdened journeying of moving beyond Conceptual interpretation: valuing, enabling-limiting, transforming
The Structure of the lived experience of Struggling with Making a Decision in a Critical Life Situation for a group of individuals with HIV (Beauchamp, 1990)	1)Certainty-Uncertainty 2)Disclosure-Nondisclosure 3)HIV heightens the pressure in making choices in moment-to-moment living.

<Table 9> Theoretical principle by domestic & overseas research<continued>

Title of thesis	Outcome according to theoretical structure of Parse
The meaning of being Elder in Nepal (Jonas, 1991)	The meaning of being an elder in Nepal is cherishing necessities for survival intermingles with the rapture of celebration with important others, as diminishing familiar patterns expand moments of respite, while regard from others affirms self and changing customs create comfort-discomfort as what-was unfolds into new possibles Conceptual interpretation: valuing, enabling-limiting, transforming
Struggling with Going Along When You Do Not Believe (Kelly, 1991)	This structure is: struggling with going along in a situation you do not believe in is justifiable yielding as opposing views intensify personal convictions and compel disclosure while suffering consequences. Conceptual interpretation: Valuing the Powering of revealing -Concealing
The lived experience of restriction-freedom (Mitchell, 1992)	The lived experience of restriction-freedom is anticipating limitations with unencumbered self-direction while yielding to change fortifies resolve for moving beyond Conceptual interpretation: restriction-freedom is imaging the originating of enabling-limiting
The lived experience of grieving the loss of an important other (Pilkington, 1993)	Core concept: 1) Anguished suffering in devastating void 2) consoling movement away from and together with the lost one and others 3) confidently moving beyond personal doubts The structural: The lived experience of grieving the loss of an important other is valuing the connecting-separating in transforming Conceptual interpretation: valuing, separating-connecting, transforming
The experience of laughter: A Phenomenological Study (Parse, 1993)	The Structural: laughing is a buoyant immersion in the presence of unanticipated glimpsing prompting harmonious integrity which surfaces anew through contemplative visiting The principle is connected with the experience of laughing
Aging in the Old living in Scotland A Phenomenological Study (Mitchell, 1993)	The meaning of aging in Scotland: intensifying engagements as transfigurations signify maturity tempering the unavoidable with buoyant serenity Frist, Second principle of relating is living the elder
Evaluations of the human becoming theory in family practice (Jonas, 1993)	1) Enhanced satisfaction and meaning fullness in practice 2) Heightened awareness of the person's perspective 3) Clarified new benefits of with clients 4) Struggling with living the different belief of Parse's theory 5) Changed relationships with co-workers that were more nurturing and understanding
Laughing and Health: A Study using Parse's Research (Parse, 1994)	The structure of the lived experience of laughing and health was found to be a potent buoyant vitality sparked through mirthful engagements, prompting an unburdening delight deflecting disheartenments while emerging with blissful contentment Conceptual interpretation: languaging the enabling-limiting of powering, Connecting-separating in the transforming of imaging, Originating the revealing-concealing of valuing
The meaning of being a Senior (Mitchell, 1994)	The structural definition arising in this study: Being a senior means engaging the now while rolling with the vicissitudes of life as refined astuteness surfaces a buoyant unburdening. It is though shifting rhythms propel discovery through grateful abiding in wondering awareness as anticipation of new possible enlivens connectedness and altruistic commitments affirm self amidst the retrospective pondering of everydayness Conceptual interpretation: powering, pushing-resisting.

(Table 9) Theoretical principle by domestic & overseas research(continued)

Title of thesis	Outcome according to theoretical structure of Parse
The lived Experience of wanting to Help Another (Mitchell, Heidt, 1994)	<p>Core concept</p> <p>1)Directing intentions to nurture</p> <p>2)Uplifting affirmations with others</p> <p>3)Dissonant constraints unfold new possibilities</p> <p>The structure of the lived experience of wanting to help another is directing intentions to nurture amidst uplifting affirmation with others while dissonant constraints unfold new possibilities</p> <p>Conceptual interpretation: Powering, valuing, enabling-limiting.</p>
The lived experience of grieving, for families living with AIDS (Cody, 1995)	<p>Grieving as a process of becoming</p> <p>1) The meaning of grieving for the families in this was structured through the mutual reflection of cherished image of what was had been and was yet to be</p> <p>2) Grieving for the families living with AIDS, involved living with opportunities and limitations, presence and absence, divulging and hiding all-at-once</p> <p>3) Grieving agonizing struggles fluxing with joys while confronting the enigma of what was yet to be, which engendered innovative changes in patterns of living</p> <p>Conceptual interpretation: Powering, connecting-separating, Originating, valuing</p>
True Presence through music for persons living their dying (Jonas, 1995)	<p>Being with persons who move beyond the now moment in the true presence of music is a mysterious not easily expressed with mere words. The mystery of human becoming continues to unfold through the meanings, rhythms, and ways of moving beyond with presence through music</p>
Evaluation of the human becoming theory in practice with adult & children (Smith, 1995)	<p>1)Substantive changes in values related to honoring client uniqueness, wholeness and freedom to choose were described by the nurses</p> <p>2)Patients and family members noted that generally the staff were more friendly</p> <p>3)Administrators and nurses noted some improvement in moral and a greater appreciation for the distinctive contribution of nursing to the health</p>
The Lived Experience of suffering (Daly, 1995)	<p>Core concepts</p> <p>1)Paralyzing anguish with glimpses of precious possibilities</p> <p>2)Entanglements of engaging-disengaging</p> <p>3)Struggling in pursuit of fortification</p> <p>The lived experience of suffering is an impotent wretchedness glancing the treasured enmeshed in the intimacy-solitude of resolute affirmation</p> <p>Conceptual interpretation: valuing, connecting-separating, powering</p>
Parse's Research Methodology and the Nurse Researcher-child Process (Baumann, 1996)	<p>The remarkable variation of children's thoughts, feelings and actions testifies to the complex and open nature of human becoming at all ages. Children's thoughts, feelings, and imaginings are made more accessible with the aid of art, stories, and play when offered in true presence</p>
Quality of life Person living with Alzheimer's disease: Human becoming (Parse, 1996)	<p>Quality of life a contentment with the remembered and now affiliations that arises amidst the tedium of the commonplace, as an easy-uneasy flow of transfiguring surfaces with liberating possibilities and confining constraints, while desiring cherished intimacies yields with inevitable distancing in the vicissitudes of life, as contemplating the ambiguity of the possibles emerges with yearning for successes in the moment</p> <p>Conceptual interpretation: Freedom-restriction, Certainty-uncertainty, Togetherness-aloneness</p>
The Experience of Living with Persistent Pain (Mitchell, 1997)	<p>Core concept:</p> <p>1)Forbearance surfaces with the drain of persistent anguish</p> <p>2)Isolating retreats coexist with comforting engagement</p> <p>3)Hope for relief clarifies priorities of daily living</p> <p>Conceptual interpretation: Imaging, valuing, languaging.</p>

<Table 9> Theoretical principle by domestic & overseas research (continued)

Title of thesis	Outcome according to theoretical structure of Parse
Evaluation of the human becoming theory in practice in an acute care Setting (Cody, 1998)	<p>Recurring patterns across all data sources</p> <ol style="list-style-type: none"> 1) Changed nurses' perspective of patient from problem to patient as human being 2) Changed morale in nurses 3) Less judging and labeling of patients 4) More halting and listening to patients 5) Respecting the patient's right to choose 6) Enhancing quality of nurse-person relationship
Limitations on life: women's lived Experience of angina (Miklaucich, 1998)	<p>The themes</p> <ol style="list-style-type: none"> 1) Maintaining a balance of control 2) Living through the pain experience 3) Living an emotional equation 4) Living the reality of the illness 5) Living between fear and safety 6) Accepting limitations on life
Practice with Persons living Their Dying: A Human Becoming Perspective (Pilkington, Lee, 1999)	<p>As this woman lived her dying, suffering, joy, and sorrow emerged in co-created relationships with important others.</p> <p>Conceptual interpretation: revealing-concealing, enabling-limiting, connecting-separating</p>
The lived experience of Serenity (Kruse, 1999)	<p>Four man concept: steering yielding with the flow, savoring remembered visions of engaging surroundings, abiding with aloneness togetherness, and attesting to a loving presence</p> <p>The structure of the lived experience of serenity for the participants emerged as steering yielding with the flow arising with savoring remembered visions of engaging surroundings, as abiding with aloneness togetherness, attests to a loving presence</p> <p>Conceptual interpretation: Powering, imaging, connecting-separating, valuing</p>
Considering Tomorrow: Parse's Theory-Guided Research (Bunker, 2000)	<p>The structure of the lived experience of considering tomorrow is contemplating desired endeavors in longing for the cherished while intimate alliances with isolating distance emerge, as resilient endurance surfaces amid disturbing unsureness:</p> <p>Conceptual interpretation: imaging, valuing, Connecting-separating, Originating</p>
Living with the consequences of personal choices for persons with diabetes (Mitchell, 2000)	<p>Four core concept: exercising selective restraint, choosing times of abandon, dogged determination and dread of ominous happenings, are discussed in light of the guiding theory and scientific literature</p> <p>Conceptual interpretation: valuing, Transformation, limiting-enabling</p>
The lived experience of contentment: (Parse, 2001)	<p>The structure:</p> <ol style="list-style-type: none"> 1) Contentment is a satisfying calmness amid the arduous as resolute liberty arises with benevolent engagements 2) Contentment is a fulfilling tranquility amid the disquieting as an unwavering reliance arises with solicitous involvements <p>Conceptual interpretation: valuing, connecting-separating, powering</p>
Feeling understood: A Melody of human becoming (Jonas, 2001)	<p>The structure of the lived experience of feeling understood, surfaced from the dialogues and musical expressions: Feeling understood is an unburdening quietude with triumphant bliss arising with the attentive reverence of nurturing engagements while fortifying integrity emerges amid potential disregard</p>

V. 논 의

본 연구의 결과를 참고로 하여 다음의 몇 가지 논의를 하고자 한다. 논문출처별 분석에서는 국내의 경우 학위 논문으로 석사2편(15.4%), 박사학위 논문 6편(46.2%)으로 국외의 박사학위 논문 1편 보다 학위논문으로서는 많은 것으로 분석되었다. 이는 국내의 경우 인간 되어감의 이론이 학술지를 통한 연구보다는 학위논문에서 더 많이 적용 된 것으로 나타났으며, 이러한 추세는 국내에서는 현재 간호계의 연구현상이 질적 연구의 흐름을 반영해주는 결과로 볼 수 있다. 국외의 경우는 주로 Parse 자신이 편집장으로 있는 학술지 Nursing Science Quarterly에 많이 실리고 있다. 또한 연도별 분석에서 보면 국·내외 모두 1990년대부터 현재까지 꾸준히 연구되고 있는 상황으로 이는 현재까지 활발한 연구활동을 하고 자신의 이론을 다양한 면으로 검증하고 있는 Parse의 노력으로 보이며 국내나 국외 모두 현재까지 계속되는 검증을 통하여 인간 되어감의 이론은 새로운 지식체가 추가되어 이론이 강화되고 있음을 보여준다.

연구설계유형별로 살펴보면 Parse의 연구설계 유형은 연구방법론(Research Methodology), 서술적 탐색연구 방법론(Descriptive Exploratory Methodology), 서술적 평가연구방법론(Descriptive Evaluation Research Methodology)으로 구분할 수 있다. Parse 인간 되어감 이론의 연구방법론 과정은 대상자의 선정, 나와 너의 과정, 종합-추출과정, 발견적 해석으로 체험의 구조가 만들어지고 간호의 기본이 되는 지식을 이끌어냄으로써 이론의 구조가 이루어진다. 본 연구에서 Parse의 Research Methodology(연구방법론) 적용은 국내 11편(85%), 국외 19편(70%)으로 분석되었다. 그러나 현재까지는 학위논문을 중심으로 연구방법론에 치중한 면이 많았으나 앞으로는 Parse의 확대된 이론검증을 위해서는 Parse의 이론으로 검증된 연구결과들이 실무에 적용할 수 있기 위해서는 Descriptive exploratory methodology, Descriptive evaluation research methodology도 많이 연구되어야 한다고 생각된다. 서술적 평가연구방법론(Descriptive evaluation research methodology)은 실무를 안내하고 연구실무에 이론을 적용한 후에 그 결과를 평가하기 위한 응용연구이다. 이러한 평가연구는 인간의 건강현상을 탐색하고 그 학문의 이론적 기반을 실현하는 간호연구와는 다르다. Jonas(1993)의 가족에 대한 교육에 관한 연구와 Mitchell(1995), Cody

(1998)의 급성환자병실에서 수행한 Parse 이론에 관한 평가연구, Santopinto(1989, 1995)의 연구에서 나타난 것처럼 이 연구에 참여한 간호사들이 전통적인 자신들의 접근방법 대신에 대상자들이 희망과 꿈을 향해 나아갈 때 진정으로 함께 있어 주는 것에 전문직에 종사하는 사람으로서 점점 더 만족함을 얻었다고 보고하였다. 그러므로 Parse의 이론은 이론-연구-실무의 전통을 일관성 있게 결합시키고 창조하므로 간호과학에 발전을 기여하였다고 여겨진다. 서술적 탐색연구방법론(Descriptive exploratory methodology)은 어떤 사건을 공유했던 한 집단의 생의 사건의 의미를 연구하는 방법이다 (Parse, Coyne, Smith, 1985). 서술적 탐색연구방법에 있어서 연구과정 단계는 연구현상을 확인하고 연구의 구조를 결정하며, 자료수집, 자료분석, 결과서술의 단계를 거친다. 본 연구에서는 국내의 경우 Pyon(1994), Hwang(1993)의 연구 2편으로 나타났다.

연구주제 별로 살펴보면 Parse는 1981년 인간-삶-건강: 간호의 이론의 출판을 통해 처음으로 자신의 이론을 공식화하였는데 개발 당시 인간에 대한 4개의 가정, 건강에 대한 5개의 가정으로 3개의 원리와 각 원리에서 3개의 개념, 총 9개의 개념을 기술하였다. 9개의 개념은 Meaning(Imaging, Valuing, Languaging), Rhythmically(Revealing-Concealing, Enabling-limiting, connecting-separating), Condescendence(Powering, Origination, Transforming)이다. Parse이론을 적용한 연구들의 연구 주제는 살아있는 경험으로서의 슬픔, 외로움, 즐거움, 고통 등과 같은 인간이 경험하는 보편적이고 일반적인 경험이다. 경험이란 과거와 미래가 동시에 어우러져 살아있는 역설적 경험으로서 슬픔, 제한된 자유, 고통, 희망, 다른 사람들을 도우려는 희망, 웃음과 건강, 신념을 상실했을 때 의 고통, 어려운 시기를 통한 고통, 매일의 삶을 받아들이는 것, 내일을 염두에 두는 것, 어려운 시기를 잊지 않는 것, 변화를 기대하는 동안 살아있는 것, 친밀감, 기쁨과 슬픔, 노인이 된다는 것에 의미, 노인의 제한과 자유 등이다. 국내연구는 개념에 따른 주제를 따로 분리했을 뿐이지 질병체험에 대한 연구주제가 4편(30%)으로 대부분 나타났다. 국외연구도 4편(14.8%)으로 질병에 따른 체험의 주제가 대부분을 차지했다. 그러나 국외의 경우는 질병체험과 아울러 인간이 가지는 보편적인 경험을 다루는 것으로 슬픔, 고통, 희망, 웃음, 의미 등에 대한 다양한 인간체험의 측면을 다루고 있다.

연구대상자의 유형별 특성으로 살펴보면 연구대상자의 성별유형은 여자를 대상으로 한 연구가 국내 7편(53.8%), 국외 10편(37.0%)으로 남성보다는 여자를 대상으로 한 연구가 많았으며 남·녀가 같이 포함된 연구에서도 비율 상으로 여자의 비율이 많은 것으로 분석되었다. 이는 1960-1990년 동안 간호연구를 분석한 김모임(1994)의 논문 분석에서도 82.2%가 여성이 연구대상자였던 것과 일치한다.

연구대상자의 발달 단계별 분석에서는 아동을 대상으로 한 연구는 국외 논문 1편(3.7%)과 국내논문으로 정신병동에 입원한 청소년에 대한 연구 1편(7.7%)이 있었다. 성인을 대상으로 한 연구는 국내 연구에서는 12편(92.3%)으로 대부분을 차지했으며 국외의 연구도 성인 대상이 많았다. 국외의 경우는 성인대상 논문 중에서도 노인을 포함한 논문이 주종을 이루고 있어 결과적으로는 발달시기에 따른 분류는 노인의 비율이 높았다. 이는 시대의 변화에 따라 노인의 수가 증가하고 있어 이에 따른 건강문제, 사회문제 등 여러 방면으로 많은 문제가 되고 있음을 알 수 있다. 이는 김희걸, 이영숙(1995)의 연구보고와 같은 결과였다. 또한 국내보다 국외의 경우 노인을 연구 대상으로 한 논문이 높게 나타난 것은 서구의 현대사회가 노령화됨에 따른 많은 문제점과 대책에 대해 심도 있게 여기는 사회적인 현상 때문이라고 생각한다. 또한 연구대상자의 환자군 대 정상군에 대한 분석을 보면 국내의 경우는 정상군을 대상으로 한 연구는 6편(46.2%)이며 국외의 경우는 18편(66.7%)으로 분석이 되어 정상군을 대상으로 한 연구가 주종을 이루고 있다. 양수 외(1995)의 연구에서 살펴보면 국내정신간호학 연구의 대상자는 건강인이 많았다는 것과는 국외의 논문과는 비슷하게 나왔으며 이는 외국의 경우 환자를 대상으로 하는 연구에서 윤리적인 측면으로 환자를 대상으로 구하는데 어려움이 있는 것으로 사료된다. 또한 박성애(1992), 박성애, 하양숙 등(1994)의 연구에서는 환자가 연구대상으로 가장 많았다고 보고되어 본 연구에서의 외국논문과는 대조적으로 나타났다. 이는 인간 되어감의 이론이 질병을 가진 인간 뿐 만 아니라, 인간이면 누구나 가지는 인간에 대한 보편적인 체험을 연구의 대상으로 주로 하고 있음을 보여주고 있다. 연구대상자의 수에 따른 분석을 살펴보면 연구대상자의 수는 Parse는 인간의 경험연구를 위해서는 2-10명이 가장 적절하다고 하였는데 본 연구에서는 국내의 경우 9-10명이 5편(38.5%)으로 가장 많이 분석이 되었으며 국외의 경우는

11명 이상(40.7%)으로 국내보다는 좀 더 많은 대상자를 상대로 연구를 한 것으로 분석되었다.

연구기간별로 보면 인간의 체험을 연구현상으로 하였기에 연구기간은 대체로 국내의 경우는 1-3개월이 4편(30.8%), 10개월 이상이 4편(30.8%)으로 나타났고, 국외의 경우는 10개월 이상이 11편(40.7%)이었다. 이는 Parse의 연구방법이 함께 있음을 통해 면접, 관찰, 인터뷰를 중심으로 대상자가 살아온 삶의 체험을 다루는 연구가 많기에 오랜 시간이 걸린다는 것을 알 수 있다.

연구결과에 따른 이론적 구조와 Parse의 개념과의 연관성 분석을 살펴보면 Parse의 인간 되어감의 과정의 주요개념은 첫째, 의미에 있어서 상상화, 가치화, 언어화 둘째, 율동성의 개념으로 노출-폐쇄, 가능-제한, 연결-분리 셋째, 초월성으로 가능성, 독특성, 변형성이며 이론적 구조는 검증할 수 있도록 개념들을 서로 연결시키는 진술로 Parse의 이론적 구조는 3원리로 되었는데 원리 1은 인간의 가능성을 실현한다는 것은 노출성-폐쇄성을 상상화 하는 것이다. 가치화는 가치를 긍정-부정하면서 다차원적인 경험에 의미를 부여하는 것으로 자유롭게 선택하고 그 선택에 따라 행동하는 가치 있는 신념을 확인하는 과정이다. 원리 2는 인간의 독특성을 나타낸다는 것은 가치의 가능성-제한성을 표현하는 것이다. 인간이 가치 있는 것을 선택할 때 그 안에 무한한 가능성과 한계성을 동시에 존재한다는 것이다. 연결-분리는 상호 주관적인 관계에서 자신을 다른 사람 혹은 다른 것과 관련시키기도 하고 관련시키지도 않기도 하는 일이 동시에 일어나면서 자신의 생각을 통합하여 새로운 합일점을 찾는 과정이다. 강화성은 가치관과 일치하는 선택을 하도록 노력하면서 삶을 재형성해 나가는 것이며 개인의 의도와 행위를 구체화하여 가능성을 향하여 움직이는 것이다. 2원리는 관계 형성의 양상과 관련이 있다. 원리 3은 여러 가지 가능성을 가지고 이루어지며 공동으로 초월한다는 것은 변형하는 과정에서 자신의 독창성을 독특한 방식으로 강화하는 것이다. 이 원리는 인간이 새로운 견해나 방식을 추진하거나 저항함으로써, 의도했던 희망과 꿈, 가능성을 향해 움직여 가는 것을 뜻한다. 이미 알고 있는 상황에 대해 다른 시각이 주어져, 친밀한 것에 대한 견해가 바뀔 때 과거의 존재가 새롭게 변형되는 것이다. 인간의 변형성은 연결성-분리성의 언어화를 통해 나타난다. 이것은 한 현상과는 연결되고 다른 현상과는 분리되면서 개인이 독특한 현실을 언어적-비언어적으로 상징화함으로써 환경과의 공동참여를 통해 일어나

는 변화이다. 원리 3은 삶의 재형성 과정과 관련이 있다.

본 연구에서 살펴본 바로는 9개의 개념과 3원리에 입각하여 연구논문들의 결과들을 분석하였는데 그 내용은 다음과 같다.

각 논문들마다 9개의 개념이 모두 도출된 논문은 국내논문 1편과 국외는 3편이 나왔고, 각 원리마다 3개의 개념이 포함되어 각 원리에 잘 통합되어 Parse의 인간 되어감 이론이 검증이 되고 있다. 또한 9개의 개념에서 변형된 개념을 도입하여 철학적 가정에 입각하여 이론의 원리를 검증하기도 한 연구는 6개의 논문으로 나타났다. 이는 나와 너의 관계과정을 통해 얻은 자료를 연구자의 언어로 종합하고, 참여자의 언어에서 명제를 모아 핵심 개념을 추출하며, 모여진 핵심개념을 하나의 구조로 종합을 한다. 이렇게 하나의 구조를 만들고 이 구조에서 Parse의 인간 되어감의 이론과 연결시켜 논리적으로 추상성을 높이는 발견적 해석단계를 거쳐 구조적 통합과정과 개념적 해석과정을 통하여 구조를 이론에 있는 개념으로 구체화하는 단계를 거치게 되면 이 분석 단계는 끝나게 되는데 본 연구에서 살펴보면 <Table 9>에서는 주제에서 분리된 것을 이론적 구조로 통합을 시키고 발견적 해석을 통하여 Parse의 인간 되어감의 이론에 있는 9개의 개념에 적용하여 분석하였다. 윤정아(2000), Parse(1994)등의 연구논문에서는 Parse의 9가지 개념이 모두 나타나기도 했으나 노춘희(1992), Michell(1992)등의 연구논문에서는 연구주제와 연결하여 중요하다고 여기는 개념만을 도출하여 연구한 논문도 있었다. 그 결과를 살펴보면 다음과 같다.

Parse가 인간 되어감의 이론에서 발표한 9개의 개념은 1원리에 속하는 가치화, 상상화, 언어화, 2원리에 속하는 노출-은폐, 가능-제한, 연결-분리, 3원리에 속하는 변형성, 독창성, 강화성에서 검증할 수 있도록 개념들을 서로 연결시켜 이론적 구조를 설명하고 있다. 인간 되어감의 이론적 구조는 초월에 있는 개념을 의미화와 율동화에 있는 개념으로 설명하는 것인데 각 원리에서 개념을 연결하여 이론적 구조를 만들고 각각은 한 현상과 연결이 되고 다른 현상과는 분리되면서 개인의 독특한 현실을 언어적-비언어적으로 상징화함으로써 환경과의 공동참여를 통해 일어나는 변화이다. 여기에서 볼 때 국내의 경우 최소 3개의 개념이 나온 것은 2개의 사례연구 논문에서 검증이 되고, 각각의 개념은 3원리에 적용하여 이론적 원리를 설명하고 있고, 4개의 개념이 도출되어 3원리를 모두 설명한 것은 2개의 논문에서 검증되었으며,

5개의 개념 검증은 4개의 논문에서 나왔고, 6개의 개념 도출은 1개의 논문에서 9개의 개념 모두 검증이 된 논문도 1개가 있었다. 또한 실무방법론을 적용한 연구논문도 각각 4개의 개념과 2, 3원리를 설명하고 있는 연구도 있었다. 국외 논문에서는 2개의 개념을 설명한 논문은 1개이고 3개의 개념 설명한 논문은 14개이며 5개의 개념은 2개의 논문에서 검증이 되었고, 9개의 개념 모두 설명한 것은 3개의 논문에서 검증이 되고 있으며 실무방법론에서는 의미화, 율동성, 초월성의 개념 설명을 한 것도 5편이 있다. 또한 9개념 중에 의미는 같은 의미로 해석이 되고 있지만 가능-제한을 자유와 제한으로 바꾸어 설명한 논문도 있었고, 연결-분리라는 개념을 함께함-홀로됨으로 설명을 하기도 하였으며 노출-은폐를 조용함-혼란함으로 바꾸어 설명을 하면서 Parse의 이론을 나름대로 정의하면서 개념들을 설명한 논문도 새로운 시도로서 실시되고 있었다. 논문제목에서도 나왔듯이 국내보다도 국외의 논문의 개념은 다양하고 변화 있는 시도로서 변형되어 연구됨으로써 더욱 더 이론이 정련화 되고 세련되는데 일조를 하고 있다. 그러나 Parse이 인간 되어감의 이론은 논리실증주의에 입장에서 벗어난 과학을 하나의 과정으로 보는 과학관에 기반을 둔 것으로 이 이론의 중심은 인간-우주-건강이며 그 초점은 인간의 체험이라고 하였는데 이 개념으로 본다면 인간의 전반적인 체험 현상에 대해 관심이 있어야하며 다양한 현상에 관심을 두는 연구가 실시되어야 한다. 환경과의 상호작용의 주체로서 대상자의 경험에 공동참여하기 위해서는 간호사-환자-가족의 지속적인 관계형성이 필요함에도 가족과 대상자를 함께 한 국내연구는 없었으나 국외의 경우는 3편이 있었다. 급성단기입원환자나 중환자실의 무의식환자와 같은 현상에 대한 적용은 연구자의 자료수집결과 국내·외 연구에서는 찾아볼 수 없었다. 21세기 건강관리 체계에서 인간의 삶의 질과 개인과 가족의 생생한 경험의 의미에 관심을 갖는 인간과학으로 변화하고, 인간의 보편적인 체험을 연구하는 Parse의 이론이 간호과학 발전에 기여하기 위해서는 전통적인 간호의 환원주의적인 견해를 벗어나 인간의 의미에 초점을 두는 실무방법론이 확대되어야한다고 생각한다. 이 결과들은 본 연구 <Table 9>에서 설명되고 있다.

V. 결론 및 제언

본 연구는 최근 간호계가 인간을 대상으로 하는 간호

학 지식체 개발에 양적 연구만으로는 모든 간호현상을 설명할 수 없다는 것을 인식하면서 질적 연구 방법에 대한 관심이 고조되어 가고 있는 실정에서 인간현상을 연구하기 위한 적절한 철학적 관점과 방법이 필요하다고 느끼는바 실존적 견해와 로저스의 이론으로 형성된 질적 연구 방법론을 적용한 Parse의 인간 되어감의 이론을 적용한 논문을 살펴봄으로써 앞으로 인간의 현상을 이해하여 질적 연구에 방향 설정에 지침이 되고자 본 연구를 시도하였다.

분석대상은 Parse의 인간 되어감의 이론을 적용한 1990부터 최근 2001년까지의 국내 13편, 국외논문 27편 총 40편을 분석 대상으로 하였다. 총 40편 중 연구 발표 년도별, 연구설계유형, 연구대상자의 특성별, 연구 기간, 연구주제, 연구개념과 이론적 원리 등을 분석하였다.

자료의 분석은 수집된 자료의 실수로 처리하였고 그 결과는 다음과 같다.

1. 연구유형별 연구논문 분석에서는 첫째로 발표 년도별로 살펴본 결과 Parse의 연구방법론을 사용하여 인간-삶-우주에 대한 개념을 적용한 Beauchamp(1990)의 에이즈 환자의 의사 결정되는 힘(Power)에 대한 박사논문이 최초였다. 국내의 연구도 노춘희(1992)의 정신병동에 입원한 청소년의 분리경험에 대한 박사논문이 Parse의 이론을 적용한 최초 논문 이었다. 그 이후 우리나라의 경우는 1992년부터 현재까지 총 6편이 박사학위 논문으로 간행이 되었다. 국외의 경우는 다양한 학술저널을 통해 매년 Parse의 이론이 검증되고 있다.

둘째, 연구설계유형별로는 연구방법론을 적용한 논문은 국내 11편(85%), 국외 19편(70%)으로 나타났다. 서술적 평가연구방법론을 적용한 연구는 국내는 한편도 없었으며 국외는 4편(15%)으로 나타났다. 서술적 탐색 연구방법론은 국내 석사학위 논문으로 2편(15%)이 나왔고 국외는 4편(15%)으로 분석되었다. 이 분석 결과로 본다면 아직 다양한 임상연구가 필요하다.

2. 연구주제 부분에서는 산 경험으로서의 슬픔, 외로움, 즐거움, 고통 등과 같은 인간이 경험하는 보편적이고 일반적인 경험이다. 경험이란 과거와 미래가 동시에 어우러져 살아있는 역설적 경험으로서 슬픔, 제한된 자유, 고통, 희망, 다른 사람들을 도우려는 희망, 웃음과 건강, 신념을 상실했을 때의 고통, 어려운 시기를 통한 고통, 매일의 삶을 받아들이는 것, 내일을 염두에 두는 것, 어려운 시기를 잊지 않는 것, 변화를 기대하는 동안 살아있는 것, 친밀감, 기쁨과 슬픔, 노인이 된다는 것에 의

미, 노인의 제한과 자유, 함께 있음, 질병에 대한 체험, 폭력체험, 삶의 질, 평정 등 다양한 주제들이 본 연구논문 분석에서 나타났다.

3. 연구대상자의 유형별 특성에서 보면 첫째로 성·별 분석은 여자가 대상자로 나온 논문은 국내 7편, 국외 10편으로 나타났고, 남·여 모두 포함된 것은 국내 4편, 국외 16편이며 남·여 같이 연구대상자로 나온 논문들 중에서도 여자의 비율이 상대적으로 높게 나타났다.

둘째, 발달시기별 분석은 국내 12편, 국외 13편으로 대부분이 성인기에 속하는 대상자가 많았으나 노년기에 속하는 연구논문도 국외의 경우는 10편 이상으로 나타났고 성인기에 속하는 논문이 다수 있는 것으로 나타났다.

셋째, 연구대상자의 정상군과 환자군을 비교 해본 결과 국내 논문에서는 정상군 6편, 환자군 7편으로 나타났고 국외의 경우는 정상군 18편, 환자군 9편으로 나타났다.

4. 연구대상자 수 분석에서는 국내논문의 경우는 10명 이내 대상자로 한 연구가 5편으로 가장 많아 나타났고, 국외 논문의 경우는 이보다 많은 11명 이상을 연구 대상으로 한 논문은 11편으로 나타났다.

5. 연구기간별로 분석한 결과는 국내의 경우는 4편이 1-3개월에 거쳐 면접, 관찰, 인터뷰를 실시하여 자료수집을 하였고 또한 10개월 이상 자료수집 한 연구논문도 4편이 있으며, 국외의 경우는 이보다 많은 4-6개월 정도 자료수집 한 논문이 9편이고 10개월 이상 자료수집 한 경우도 11편으로 국내 4편보다 훨씬 더 높게 나타났다.

6. 연구결과에 따른 Parse의 개념과 이론적 원리를 비교 분석해 본 결과는 총 9개의 개념 모두 나타난 것은 국내 논문1편이고 국외의 경우는 3편으로 나타났으며, 최소 3개의 개념에서 9개의 개념 모두 다양하게 검증되었고, 이론적 3원리에 맞게 나타난 논문과 3원리 중 어떤 특정한 원리만을 검증한 논문도 국내 2편, 국외 4편 정도 있었다.

이상과 같이 Parse의 인간 되어감의 이론을 적용한 논문을 살펴보면 연구가 보다 다양화되고 임상실무와 이론에 적절하게 적용되기 위해서는 몇 가지 다음과 같은 제언하고자 한다.

1. Parse의 연구논문이 많은 추상성이 있음에도 불구하고 국외의 경우는 다양한 개념들을 임상실무와 연결하여 많은 연구들이 시행되고 있으나 국내 연구들은 아직 제한된 개념들을 사용하고 있다. 이에 보다 실용적인 연구가 되기 위해서는 다양한 분야 및 상황, 다양한 대상자들에게 실무방법론을 적용한 임상연구가 더 많이 나와

야겠다.

2. 좀 더 다양한 연구주제로 접근하여 인간의 현상에 대해 연구를 하여 인간의 보편적인 현상을 이해하여 간접접근에 도움이 되도록 해야할 것이다.

3. Parse의 인간 되어감의 이론을 대상자뿐만 아니라, 가족, 친구들이 포함된 연구와 또한 한국인의 특유한 감정, 느낌, 사고에 대한 연구를 하여 보다 다양한 프로그램이 개발되어 실무에 적용되어야 하겠다.

Reference

- Anderson, J. M. (1991). The Phenomenological Perspective, in Morse, J. M(ed). *Qualitative Nursing Research*, A contemporary Dialogue. Sage, 25-38.
- Baumann. Steven L. (1996). Parse's Research Methodology and the Nurse Researcher-Child Process. *NSQ*, 9(1), 27-32.
- Beauchamp, C. J. (1990). *The Structure of the Lived Experience of Struggling with Making a Decision in a Critical Life Situation, for a group of Individuals with HIV*. Unpublished Doctoral dissertation, University of Miami.
- Brown, j. S., Tanner, C. A., Padrick, K. P. (1984). Nursing's search for scientific knowledge. *Nursing Research*, 33(1), 26-32.
- Bunkers, Sandra Schmidt (2000). Considering Tomorrow: Parse's Theory -Guided Research. *NSQ*, 11(2), 56-62.
- Cody, W. K. (1991). Multidimensionality: It's meaning and significance. *Nursing Science Quarterly*, 4, 76-82.
- Cody, W. K., & Mitchell, G. J. (1992). Parse's theory as a model for Practice: the cutting edge. *Advances in nursing Science*, 15(2), 52-65.
- Cody, W. K. (1995). *The lived Experience of Grieving for Families Living with AIDS*. In Parse(Ed). *Illumination: The Human Becoming Theory in Practice and Research*. New York: National League for Nursing Press, Pub.
- Cody, W. K., Northup, D. T. (1998). Evaluation of the Human Becoming Theory in Practice in an Acute care Setting. *NSQ*, 11(1).
- Daly John (1995). *The Lived Experience of Suffering*. In Parse(Ed). *Illumination: The Human Becoming Theory in Practice and Research*. New York: National League for Nursing Press, Pub.
- Daly, J. (1996). Quality of life the human becoming theory: Exploring Discipline Specific Contribution. *NSQ*, 9(4), 170-173.
- Gu, Mee Ock, Lee, Eun Ok (1990). Health Belief Model and Sick Role Behavior of Korean Chronic ill Patients. *Korean Nurs*, 29(3), 49-63.
- Gu, Mee Ock etc (1994). A Review of Research on Self Efficacy Theory Applied to Health Related Behavior. *J Korean Acad Nurs*, 24(2), 278-302.
- Han Young Ran, Marion Pope (1993). *Korean Women Experience of being Battered by their Husbands*. Science Nurs, Ewha Nursing Research, 144-160.
- Han Young Ran (1995). *Korean Women Experience of being Battered by their Husbands*. Unpublished doctoral thesis Ewha University of Korea Seoul.
- Hwang Eun Ah (1993). *Nurse Abuse: The Meaning of the Lived Experience*. Unpublished master's thesis Ewha University of Korea Seoul.
- Jacobson. B. s., Meininger, J. C. (1985). The designs and methods of published Nursing research: 1956-1963. *Nursing Research*, 34(2), 306-321.
- Jeon. See Ja etc. (1994). An Analysis of master's and Doctoral Thesis in Nursing Centered on a Nursing, an Education, and a Public Health Graduate College-. *Korea Nurs*, 33(2), 45-58.
- Jonas. Christine M (1991). The Meaning of Being an Elder in Nepal. *NSQ*, 5(4), 171-175.
- Jonas, C. M(1993). *Evaluating Parse's Theory on Nursing in Family Practice*. Unpublished

- manuscript. St. Michael Hospital, Toronto, Canada.
- Jonas, C. M. (1995). *True Presence through Music for Persons Living Their Dying*. In Parse(Ed). *Illumination: The Human Becoming Theory in Practice and Research*. New York: National League for Nursing Press, Pub.
- Jonas-simpson, Chritine. M. (2001). Feeling Understood: A Melody of Human Becoming. *NAQ*, 4(3), 222-229.
- Kang Hyun Sook, Kim Won Ock, Hyun Kyung Sun (1998). An Analyses of Research Trend and Proposition Related to Self-care. *J Korean Acad Nurs*. 28(4).
- Kang Sung, Ye; Lee Byung Sook (2001). Experience of Patients Living with chronic Renal Failure. *J Korean Acad Nurs*. 525-537.
- Kelly, Lois S. (1991). Struggling With Going Along When You Do Not Belive. *NSQ*, 4(3), 123-129.
- Kim Heegearl, Lee Young Soog (1995). A Statistical Analysis on Nursing-Related Theses in Korea. *The Korean Nurse*, (5), 68-79.
- Kim Mo Im (1994). Research Nursing in Korean Concept and Analysis of Research Method. *Korean J of Nursing Query*, 3(1), 180-206.
- Kim Su Sie, DNSc:Ida Martindon. Shin, Kyung Rim. Yang, Soon Ok (1994). The Lived Suffering Experience of Mothers Who have lost a Child: A Study Using Human Becoming Research Methodology. *J Korean Acad Nurs*. 5-30.
- Kim Sung Jae (1996). Analysis of theories for Health Behaviors by Citical Literature review. *J. of Nursing Seoul*. 10(1), 87-122.
- Kim Mun Young (1997).An Analysis of Research Trends on Meditation. *J Korean Acad Nurs*. 27(4), 923-932.
- Koh Myeung Sook (1995). *The Loss and Grief as Lived Experience of Married Women due to Abortion*: Department of Nursing. Unpublished doctoral dissertation. Ewha University of Korea Seoul.
- Koh Myeung Sook, Lee Ok Ja, Lee Chung Sook (1998). *Parse's human becoming theory in Practice and Research*. Seoul: Hyeonmoonsa.
- Koh Myeung Sook, Lee Ok Ja, Lee Chung Sook, Noh Choon Hee et al. (2000). *Illumination: the Human Becoming Theory in Practice and Research*. Seoul: Hyeonmoonsa.
- Kruse, Barbara G. (1999). The Lived Experience of Serenity: Using Parse's Research Method. *NSQ*, 12(2), 143-150.
- Lee Byung Sook, Park Yung Sook (2001). Quality of Life for Persons Living with Diabetes Mellitus: the Human Becoming Perspective. *Keimyung Journal of Nursing Sciences*, 103-114.
- Lee Chung Sook (1995). *The Alcoholics's Lived Experience of Recovery*: Use Parse's Research Methodology. Unpublished doctoral dissertation. Yonsei University of Korea Seoul.
- Lee Chung Sook, Kim Su Jin, Kang Kwang Soon (2000). Case Study on Life Experience of Person with chronic Mental Disorder. *Chonnam Journal of Nursing Sciences* ,5(1), 203-223.
- Lee Eun Hee, Lee Eun Ok, Lee Byung Sook (1992). Analysis of Studies of Anxiety and Stress Conducted in Korea from 1970 to 1990. *J Korean Acad Nurs*, 22(3), 271-296.
- Lee Eun Hee (1993). Health Locus of Control : A Review of the Nursing Research in Korea. *J Korean Acad Nurs*, 23(4).
- Lee Myung Sook (1999). The Lived Experience of Mothers Mentally Handicapped Daughters Having Menarche at Puberty. *J Korean Acad Nurs*, 29(3), 494-506.
- Lee Ok Ja (1995). *Lived Experience of Patients with Terminal Cancer*: Parse's Human Becoming Methodology. Unpublished doctoral dissertation. Ewha University of Korea Seoul.
- Lee Ok Ja, Pilkington F. Beryl (1999). Practice with Persons Living Their Dying: A Human

- Becoming Perspective. *NSQ*, 12(4), 322-340.
- Maria. Miklaucich (1998). Limitation on Life: *Women's Lived Experience of Angina*. Nursing J England.
- Mitchell. Gail J. (1990). The Lived Experience of Taking Life Day-By-Day in Later Life: Research Guided by Parse's Emergent Method. *NSQ* 3, 29-36.
- Mitchell, G. L. (1992). *Exploring the Paradoxical Experience of Restriction-Freedom in Later Life* : Parse's. PH. D University of South Carolina.
- Mitchell. Gail J., Wondolowski. Catherine, Futrell May (1993). Aging in the Oldest Living in Scotland: A Phenomenological Study. *NSQ*, 6(4).
- Mitchell. Gail J, Heidt. Patricia (1994). The Lived Experience of Wanting to Help Another: Research with Parse's Method. *NSQ* 7(3), 119-127.
- Mitchell. Gail J. (1994). The Meaning of Being a Senior: Phenomenological Research and Interpretation with Parse's Theory of Nursing. *Nursing Science Quarterly*, 7:2, 70-79.
- Mitchell, G. J. (1995). Evaluation of the Human Becoming theory in Practice in an Acute Care Setting. In R. R Parse(Ed), *Illuminations: The Human Becoming theory in Practice and Research*. New York: National League for Nursing Press.
- Mitchell. Gail J. (1997). The Experience of Living with Persistent Pain. *NSQ*, 28(6), 1242-1248.
- Mitchell, G. L., Lawton. C. (2000). Living with the Consequences of Personal Choices for Persons with Diabetes: Implication for Educators and Practitioners. *Canadian J of Diabetes Care*, 24(2), 23-30.
- Moody L. E., Wilson. M. E., Smyth. K., Schwartz. R., tittle. m., Van cott. M. L. (1988). Analysis of a decade of Nursing Practice Research: 1977-1986. *Nursing Research*, 37(6), 374-379.
- Morse, J. M. (editor). *Qualitative Nursing Research*. A Contemporary dialogue, Sage, 1-22.
- Noh Choon Hee (1992). *The Lived Experience of Separation by Adolescents Admitted to a Psychiatric Ward*. Unpublished doctoral dissertation. Ewha University of Korea Seoul.
- Park Chung Ja, Park Chung Sook (1995). An Analysis of Nursing Research on Pain Reported in Korea from 1970 to 1994. *J Korean Acad Nurs*, 25(1), 30-44.
- Park Sung Ae (1992). Prospect of Theory Development for Nursing Based on the Analysis of Nursing Research in Korea. *J of Nurs Seoul*, 8(1), 53-82.
- Park Sung Ae, Ha Young Sook, Kim Gum Soun, Song Mi Soun (1994). Analysis Nursing Research in Korea and Development Nursing Theory. *Seoul University of Korea*, 8(1), 53-78.
- Parse, R. R. (1981). *Man-Living-Health: A theory of nursing*. New York: wiley.
- Parse, R. R., Coyne, A. B., Smith, M. J. (1985). *Nursing research: Qualitative Methods*. Bowie, MD: Brady.
- Parse, R. R.(Ed) (1987). *Nursing Science: Major Paradigms, Theories, and Critiques*. Philadelphia: Saunders.
- Parse, R. R. (1990). Parse's Research Methodology with an Illustration of the Lived Experience of Hope. *NSQ*, 3, 9-17.
- Parse, R. R.(in press). Reality: A seamless Symphony of Becoming. *Nursing Science Quarterly*.
- Parse, R. R.(in press)Nursing Science: the transformation of practice. *Nursing Science Quarterly*.
- Parse, R. R. (1992). Human becoming : Parse's Theory of Nursing. *Nursing Science Quarterly*, 5, 35-42.
- Parse, R. R. (1993). The Experience of Laughter: A Phenomenological Study. *NSQ*, 6(1), 39-43.

- Parse, R. R.(Ed). (1995). *Illuminations: The Human Becoming Theory in Practice and Research*. New York: National League for Nursing Press.
- Parse, R. R. (1994). Laughing and Health: A Study Using Parse's Research Method. *NSQ*, 7(2), 55-64.
- Parse, R. R. (1995). Aging: What in nursing? *Nursing Science Quarterly*, 8, 143.
- Parse, R. R. (1995). Building the realm of *Nursing Science Quarterly*, 8, 51.
- Parse, R. R. (1995). *Man-living-health: A theory of nursing*. In M. Mischo-Kelling & K. Wittneben (Eds).
- Parse, R. R. (1995).Nursing Theories and Frameworks: The Essence of Advanced Practice Nursing. *Nursing Science Quarterly*, 8, 1.
- Parse, R. R. (1996). Quality of Life Persons Living with Alzheimer's Disease: The Human Becoming Perspective. *NSQ* 9(3), 11-18.
- Parse, R. R. (1996). Building Knowledge through Qualitative Research: The road less traveled. *Nursing Science Quarterly*.
- Parse, R. R. (1996). Human Becoming theory: Challenges in Practice and Research. *Nursing Science Quarterly*, 9(3), 55-60.
- Parse, R. R. (1997). Transforming Research and Practice with The Human Becoming Theory. *NSQ*, 10(4), 171-174.
- Parse R. R. (2001). The Lived Experience of Contentment: A Study Using the Parse Research Method. *NSQ*, 14(4), 330-337.
- Pilkington, E. B. (1993). The Lived Experience of Grieving the an Important Other. *NSQ*, (6), 103-109.
- Pyon In Ok (1994). *The Experience of Illness with Pneumoconiosis: A Study Using Parse's Theory of Human Becoming*. Unpublished master's thesis. Ewha University of Korea Seoul.
- Rogers, M. E. (1970). *An Introduction to the Theoretical Basic of Nursing*. Philadelphia: F. A. Davis Co.,
- Santopinto, M. D. (1989). The Relentless drive to be ever thinner: A Study using the Phenomenological Method. *NSQ*, 2, 29-36.
- Santopinto, M. D., Smith, M. C. (1995). Evaluation of the Human Becoming Theory in Practice with Adults and Children. *Illuminations: The Human Becoming theory in Practice and Research*. New York: National League for Nursing Press.
- So Hyang Sook, Cho Bok Hee (1996). Analysis of Nursing Studies of Coping Conducted in Korea from 1978 to 1995. *J Korean Acad Nurs*, 26(3), 709-729.
- Yun, Chung A (2000). *The Lived Experience of Homeless Women: Using Parse's Human Becoming Research Methodology*. Unpublished doctoral dissertation. HanYang University of Korea Seoul.

- Abstract -

An Analysis of Research Trend in Domestic and Outside Applied Parse's Human Becoming Theory

Lee, Sang Yun* · Lee, Kyung Hee**

This study is to show a thesis that applied the Human Becoming theory to understand the phenomenon of human and to be ontological base of the settlement of the qualitative research method.

The subjects in this study the analysis were

* In Doctoral course, College of Nursing, Keimyung University

** Professor, College of Nursing, Keimyung University

40 articles that domestic 13 articles and 27 articles in foreign research papers published during between 1990 and 2001 the latest date which has applied Parse's Human becoming theory : The results are as follows.

1. In thesis analyses, at first it was published that 6 doctoral from 1992 to the present in Korea, but the Parse's theory is verified every year from a science journal to a foreign country. In the study type, it was come out that the application of the research methodology (domestic 11, outside 19), and the descriptive evaluation research (domestic 0, outside 4) and the descriptive exploratory methodology (domestic 2, outside 4).

2. It is the study of theme that distress, loneliness, pleasures, sufferings, which is the experience that man was experienced universally or generally.

3. In the specific character of the subject type, a research that woman was an subject of research, was shown up as sex. And there was an adult period (domestic 12, outside 13) as the developmental analysis, and while the consequence of the comparison the normal group and patient group were shown up as follows: domestic (normal 6, patient 7), outside (normal 18, patient 9).

4. In the subject number analyses, the result were shown up in 5 studies, the number of subjects showed below ten persons in domestic. In 11 articles studies, The number of subjects showed over 11 persons in the foreign country.

5. In the result of the analyses in the research period are showed as follows: In domestic there are 4 articles during 1-3 months, 9 articles over 10 months. There is 9 articles over 10 months, and 11 articles over 10 months in foreign research papers.

6. In comparative analyses of the Parse's concepts and theoretic principles. The result are followed as 1 articles in domestic and 3 articles in foreign research papers involved all 9 concepts.

Implications for nursing theory and its development, nursing research, education and practice were discussed. From results of this, I'm suggested the direction and considerations for further nursing studies related with these theories, and I'm derived testable propositions from relationship between concepts and each others.

Based on the above findings, these are suggested as follows:

- 1) It's necessary to try the clinical research adapted a practice methodology.
- 2) It's necessary to reach in manifold research theme.
- 3) It's necessary to study in particular Korean feeling, sensitiveness, thought.
- 4) It's necessary to study in the family and friends as well as patients.

Key words : Human Becoming